p21-a03-10-00-a.txt

DEPARTMENT OF THE ARMY
US ARMY INFORMATION SYSTEMS SOFTWARE DEVELOPMENT
CENTER-WASHINGTON
FORT BELVOIR, VIRGINIA 22060-5576

AMSEL-SE-IS-C DATE: 29 November 1999

#### MEMORANDUM FOR PERSLOC USERS

SUBJECT: Software Version Description (SVD) for Installation Support Module (ISM) Personnel Locator (PERSLOC) Software Change Package (SCP) P21-A03-10-00-A

- 1. Enclosed is SCP P21-A03-10-00-A which provides formal change information to the Personnel Locator (PERSLOC) ISM
- 2. Acknowledgement of installation of this SCP must be made IAW instructions provided in Enclosure 1.
- 3. This memorandum certifies that the ISM subject software has been thoroughly tested, is considered to be a quality product, and is hereby authorized for release to a production environment.
- 4. Security Implications: NONE.

Encl

Chester A. Pettis, Jr. LTC, AD Director Executive Software Systems

CHANGE PACKAGE CONTROL NUMBER: (P21-A03-10-00-A)

# PERSONNEL LOCATOR (PERSLOC)

SYSTEM SOFTWARE CHANGE PACKAGE (SCP) (P21-A03-10-00-A)

U. S. ARMY INFORMATION SYSTEMS SOFTWARE DEVELOPMENT CENTER-WASHINGTON FORT BELVOIR, VA 22060-5576

# 29 November 1999

### **CONTENTS**

1.	Scope.	1 1
2.	Referenced Documents	1
3.	Version Description	2 2 4

n21	a03-	10-	$\Omega\Omega_{-}$	3	tvt
D21-	· avə-	IV-	いい-	а.	LXL

	3.4	Adaptation Data	
	3. 5	Related Documents	
		3.5.1 Technical Documentation Changes 6	
		3.5.2 Functional Manual Changes 6	
	3. 6	Installation Instructions	
		3.6.1 Installation Effective Date	
		3.6.2 Security Implications	
		3. 6. 3 ANSOC Installation Instructions	
		3.6.4 Special Installation Instructions - All Users 8	
		3.6.5 Point of Contact	
		3.6.6 Report of Implementation	
	3. 7	Possible Problems and Known Errors	
4.	Notes.		
	4 1	Notes	

#### 1. Scope

- 1.1 Identification. This Software Version Description (SVD) applies to the Personnel Locator (PERSLOC) running on Army Standard Information Management System (ASIMS) and networked AIX operating system on UNIX platforms.
- 1.2 System Overview. PERSLOC is part of the ISM Project which is an army-wide Major Automated Information System (MAIS) initiative. The primary objective of ISM is to enhance, through automation, installation management functions. ISM applications consist of standard procedures packaged into functional applications which automate as well as integrate day-to-day installation processes. ISM applications use the Installation Level Integrated Data Base (ILIDB), which is the central repository for data that is common to more than one ISM application, and various local databases that contain data elements unique to the individual ISM applications.

The purpose of the PERSLOC ISM is to automate the information for military/civilian personnel and units. PERSLOC is designed to aid in locating military and civilian personnel assigned to a particular installation including the mail forwarding services for military personnel currently assigned and those that have been transferred from that installation. PERSLOC can display the current unit or new address, the former old address, the unit or activity telephone number, and the off-post quarters address. You can print mailing labels, manage and purge files, as well as update this information. The military and civilian personnel telephone locator service can be accessed either by social

security number (SSN) or by name. PERSLOC allows you to retrieve the following information:

> Current military/civilian activity or unit telephone numbers. Current military personnel unit mailing address. Current military personnel off-post mailing address. Current military personnel forwarding mailing address. Current personnel name, rank/grade, Unit Identification Code (UIC), location, and phone number.

- 1.3 Document Overview. This document provides the instructions necessary for the implementation of the formal Software Change Package (SCP) P21-A03-10-00-A of PERSLOC. It informs the users of the changes made to the system and provides Point of Contacts (POCs) to be contacted in case of problems.
- Referenced Documents
- 2.1 Referenced Documents. This paragraph has been tailored out.
- 3. Version Description
- 3.1 Inventory of Materials Released. This paragraph has been tailored out.
- 3.2 Inventory of Software Contents. Hardware platform ASIMS/UNIX AIX OS users. (Installation supported). This change package contains the following files.

PROGRAM	VERSI ON	UPDATE
README. post_1000	1000	24 Nov 1999
post_1000. cpi o. Z	1000	24 Nov 1999
post_1000. cpi o. Z i nstal l_post_1000	1000	24 Nov 1999

- 3.3 Changes Installed.
- 3.3.1 Corrector Descriptions Technical.

1.	ECP-S	P21/X3C-A150-014		
	A. CYCLES:	None.		
	B. PROGRAM:	PERSLOC		

Moving from the 39H stand alone to an PROBLEM:

integrated processor and data server for

ITP ISM and SBIS and databases. RESOLUTION: Put ITP ISM and SBIS applications and D

databases on an integrated processor and

data together.

Ε. I CP: P21-A03-09-01-A

ECP-S/E 2. P21-A150-003 Α. **CYCLES:** None. В. PROGRAM:

> C. PROBLEM:

Currently the PERSLOC cron job runs/process for 2 hours. The code needs to be reexamined to make the cron job run faster. With the integrated baseline, this process runs for 6 hours.

D. RESOLUTION: Modified cron job to retrieve only records to be used for that site.

P21-A03-09-02-A Ε. I CP:

```
p21-a03-10-00-a.txt
```

ECP-S/E P21-A150-004 A. **CYCLES:** None. В. PROGRAM: PERSLOC

3.

C. PROBLEM: User receives Multi-User Error for

manually entered individuals.

D. RESOLUTION: The systems branching from the menu to

screen was corrected.

P21-A03-09-02-A Ε. I CP:

4. ECP-S/E P21-A150-005 CYCLES: Α. None. В. PROGRAM: **PERSLOC** 

C. PROBLEM: Path 1.5.1 - Received database Error 100

D. RESOLUTION: Database error 100 corrected by storing

blank space information instead of

storing it as NULL.

P21-A03-09-02-A  $\mathbf{E}_{-}$ I CP:

5. ECP-S/E P21-A15M-001 **CYCLES:** None. Α. В. PROGRAM: PERSLOC

PROBLEM: The following code segments either assume a century of 19 year variables that contain only two digits, or use the current century in creating the

century of the year variables.

D. RESOLUTION: A sliding window technical is used to determine the correct century.

E. P21-A03-09-03-A I CP:

6. ECP-S/E P21-A150-006

**CYCLES:** A. None. В. PROGRAM: **PERSLOC** 

The DATE\_VERIFY procedure assigns a century of 19 when only a C. PROBLEM:

2-digit year is provided.

RESOLUTION: A sliding window is used to determine the correct century in the global function Ver\_Date.c. A recompiling is needed to link to this function. E. ICP: P21-A03-09-03-A

7. ECP-S/E P21-A15M-002

Α. **CYCLES:** PROGRAM: PERSLOC B.

PROBLEM: Invalid date in Departed Locator Cards Report Header. Error in 2000/02/28 time warp in the Departed Locator Cards Report the user must specify an amount of time for the date parameters. Selected 12 months. 1999/02/29 through 2000/02/28 in the header. The report displayed

RESOLUTION: Modified the report from the Departed Locator Cards Report.

Ε. I CP: P21-A03-09-04-A

8. ECP-S/E P21-A15M-003

**CYCLES:** Α. None. **PERSLOC PROGRAM**: B.

Invalid date in Incomplete Forwarding Address Report. PROBLEM: 2004/02/28 time warp in the Incomplete Forwarding Address Report the user must specify an amount of time to populate the date parameters. S report displayed 2003/02/29 through 2004/02/28 in the header. Selected 12 months. The

RESOLUTION: Modified the report from the Incomplete Forwarding Address Report.

P21-A03-09-04-A Ε. I CP:

ECP-S/E P21-R204-003 Α. CYCLES: None. В. PROGRAM: **PERSLOC** 

> C. PROBLEM: Request change to data base to add field

for activity level.
In the new locator ISM the only D. RESOLUTION: information given is the unit of p21-a03-10-00-a. txt

assignment. If someone is assigned to Garrison company, but works at DOIM, DPW, We do not have this information available in current database.

Ε. I CP: None

10. ECP-S/E P21-S113-014 CYCLES: A. None.

PERSLOC В. PROGRAM:

C. PROBLEM: Mail clerks are responsible for updating

certain unit addresses. The problem is that the mail clerks are experiencing incorrect write permission to the Unit

Address Table.

D. RESOLUTION: Software database command was corrected

to correctly update user write permissions to the Unit Address Table.

P21-A03-09-0AA-A. Ε. I CP:

3. 3. 2 Corrector Descriptions - Functional.

P21-R301-006 ECP-S/E **CYCLES:** Α. None. **PERSLOC** В. PROGRAM:

C. PROBLEM: Path 1.1.3.2 - If you have a manually added name, the unit name seems to never

It does not show their correct cl ear. It will carry over from last unit name.

individual you pulled up.

**RESOLUTION:** D. Problem resolved by initializing three

variables upon entering program.

Ε. I CP: P21-A03-09-02-A

2. P21-S113-009 ECP-S/E CYCLES: A. None. В. PROGRAM: PERSLOC

> PROBLEM: C. Change the application to automatically

grant access to all units for FA's and Älternate Fa's. When new units are added via the OMF. dmp, FA's don't have access to the unit and therefore can not

grant access to other users. FA's are automatically granted access to **RESOLUTION:** D.

all units.

Ε. I CP: P21-A03-09-02-A

P21-S370-004 3. ECP-S/E CYCLES: A. None. В. PROGRAM: PERSLOC

> PROBLEM: C. The search by name fails and search by

SSAN succeeds for the same person.

Names of persons in the "BROWSE" screen However, when an show the unit address. individual name is accessed, the Unit Address does not carry to the screen for

pri nti ng.

Revised the two programs. D. RESOLUTION: The commands

outer join and the commit where not in

the correct place.

E. ICP: P21-A03-09-02-A

4. ECP-S/E P21-R301-005 **CYCLES:** Α. None. **PERSLOC** В. PROGRAM:

p21-a03-10-00-a. txt

C. PROBLEM: Cannot update addresses from Address

Table menu.

D. **RESOLUTION:** Modifier the UIC table to add All UIC new

functional for User to access all UNIT

send mail to correct place.

Ε. I CP: None.

ECP-S/E P21-R301-004 CYCLES: A. None. В. PROGRAM: PERSLOC

> C. PROBLEM: Update old and new mailing address by

using batch information.

D. **RESOLUTION:** Presently, information in the old mailing

address block and new mailing address block is updated individually.

program can updated in group.

E. SCP: None.

6. ECP-S/E P21-S113-014 Α. CYCLES: None. В. PROGRAM: **PERSLOC** 

> C. PROBLEM: Mail clerks are responsible for updating

certain unit addresses. The problem is that the mail clerks are experiencing incorrect write permission to the Unit

Address Table.

D. RESOLUTION: Software database command was corrected

to correctly update user write permissions to the Unit Address Table. P21-A03-09-OAA-A

ICP: Ε.

3.3.3 Summary of Changes.

- Copy library member changes. a.
  - Changed: 1. None.
  - 2. Del et ed: None.
  - Added: 3. None.
- Control library member changes.
  - None. 1. Changed:
  - Del et ed: None. 2.
  - 3. Added: None.
- This paragraph has been tailored out. Adaptation Data.
- 3.5 Related Documents.
- 3. 5. 1 Technical Documentation Changes. A new AIX version of Software Center Operator Manual (SCOM), AISM 25-P21-A03-AIX-SCOM dated 10 December 1999 has been issued. This current version of AISM 25-P21-A03-AIX-SCOM may be obtained from:
- U.S. Army Information Systems Software Development Center-Washi ngton

Attn: AMSEL-SE-IS-ES, Stop H-6. Fort Belvoir, VA 22060-5576.

- 3.5.2 Functional Manual Changes. A new AIX version of Software User Manual (SUM), AISM 25-P21-A03-AIX-SUM dated 01 December 1999 This current version of AISM 25-P21-A03-AIX-SUM has been issued. may be obtained from:
- U.S. Army Information Systems Software Development Center-Washi ngton

Attn: AMSEL-SE-IS-ES, Stop H-6. Fort Belvoir, VA 22060-5576.

3.6 Installation Instructions. These instructions explain how to install PERSLOC SCP P21-A03-10-00-A onto the host computer at the installations.

Pre-Install Procedure. Before beginning to install PERSLOC SCP P21-A03-10-00-A onto the ISM host computer, follow this procedure to make sure you have the information you will need when installing.

STEP 1. Verify Oracle. The Oracle RDBMS must reside on the host and be on-line. Note the home directory for the user name is "oracle".

Install Procedure. This procedure installs SCP P21-A03-10-00-A for PERSLOC R10.00 AIX OS 4.2 baseline onto the installation server. This portion of PERSLOC R10.00 must be installed on each server at the installation.

- STEP 1: Login with the login name of "root".
- STEP 2: Change directory to /usr/tmp. Make a directory named "postSCP. 1000".
- STEP 3: Change directory into /usr/tmp/postSCP. 1000. Copy the following file into /usr/tmp/postSCP. 1000:

 post\_1000. cpi o. Z
 12151381
 24 Nov 1999

 README. post\_1000
 2139
 24 Nov 1999

 i nstal l\_post\_1000
 5461
 24 Nov 1999

STEP 4: Execute the following commands:

 $\begin{array}{lll} chmod \ 777i \ nstall\_post\_1000 & <Enter> \\ ./i \ nstall\_post\_1000 & <Enter> \\ ./i \ nstall\_prg & <Enter> \end{array}$ 

- STEP 5: The install\_post\_1000 will:
  - a. Display the amount of available space on the system. <Enter> must be pressed to continue the install.
  - b. Prompt for a directory path (directory\_path) to use for the backup of the post directory.
- c. Cpio the existing post directory and put it in the File /directory\_path/post.cpio. This will be used for error recovery in case the script fails.
- d. Back up the files to be saved from the post main directory.
  - e. Back up the SITE\_ directory.

remaining steps below.

f. Prompt the user for a "Y/N" response to the question: "do you wish to continue with the install script?".

If the user enters N, the install process is aborted.

If the user enters Y, the install proceeds with the

- Remove and then remake the post home directory. g.
- h. Un-compress the post\_1000.cpio.Z file and un-cpio the post\_1000.cpio file into the home directory of user "post".
- i. Restore the saved files from the post directory and The SITE\_ directory.
  - Change the ownership and mode of the files to the j. correct settings.
- k. Record all output from each of the steps performed in a file named "post\_1000.log" located in the /usr/tmp/postSCP. 1000 directory.
- The resulting log, post\_1000.log, should be copied to the directory /files/home/staff/sdcw at the termination STEP 6. of the install. Results of the installation in post\_1000.log should be reviewed.
- 3.6.1 Installation Effective Date. This SCP should be immediately implemented upon receipt or NLT 30 days from date of receipt.
- 3.6.2 Security Implications. This paragraph has been tailored out.
- 3.6.3 ANSOC Installation Instructions. All users receive the same baseline with change package number through e-mail and Status Tracking and Reporting System (STARS) Bulletin Board System (BBS). This change package contains the following files:

Quantity File ID System post\_1000. cpi o. Z README. post\_1000 AĬX OS 4.2 install.post\_1000

**Change Package** P21- A03- 10- 00- A

Ensure that all master file backups have been completed prior to loading this package.

Use these load instructions to develop load procedures that work best for your installation.

Due to various user configurations, each installation must determine appropriate block-size and library allocations.

Users must not, repeat, must not, make changes to the files.

Security impact: None.

- 3. 6. 4 Special Installation Instructions All Users. None.
- $3.\,6.\,5$  Point of Contact. If there are any problems or questions with the installation, or any shortage to the contents of this package, call the Army Network and Systems Operator Center (ANSOC), Ft. Huachuca: DSN 879-6798/6858 or 1-800-305-3036.
- 3.6.6 Report of Implementation. Implementation of this change package must be reported by completing the change package implementation form. This report must be sent to Ft. Huachuca using Fax or mail.

- $3.\,7\,$  Possible Problems and Known Errors. This paragraph has been tailored out.
- 4. Notes
- 4.1 Notes. This paragraph has been tailored out.

Change Package Control Number: P21-A03-10-00-A

i

6